

Product Fiche compliant to commission delegated regulation (EU) No 65/2014 and UK SI 2019 No. 539

Table with columns: Property, Value, Unit, and Description. Rows include: Supplier's name or trade mark (ELICA), Model identifier (WISE WH/A/90), Annual Energy Consumption - AEEhood (76 kWh/a), Energy Efficiency Class (B), Fluid Dynamic Efficiency - FDEhood (24.9 %), Fluid Dynamic Efficiency class (B), Light Efficiency - LEhood (29 lux/W), Lighting Efficiency Class (A), Grease Filtering Efficiency - GFEhood (46 %), Grease Filtering Efficiency class (F), Minimum Air Flow in normal use (256 m³/h), Maximum Air Flow in normal use (559 m³/h), Air Flow at intensive/boost setting (691 m³/h), A-weighted Sound Power Emission at minimum speed (48 dB(A) re 1pW), A-weighted Sound Power Emission at maximum speed (65 dB(A) re 1pW), A-weighted Sound Power Emission at intensive or boost speed (70 dB(A) re 1pW), Power consumption off mode - Po (NA W), Power consumption in standby mode - Ps (0.49 W).

Additional Product Information compliant to commission regulation (EU) No 66/2014 and UK SI 2019 No. 539

Table with columns: Property, Symbol, Value, Unit, and Description. Rows include: Time increase factor (f, 1.1), Energy Efficiency Index (EEIhood, 64.3), Measured air flow rate at best efficiency point (QBEP, 400 m³/h), Measured air pressure at best efficiency point (PBEP, 414 Pa), Maximum air flow (Qmax, 691 m³/h), Measured electric power input at best efficiency point (WBEP, 184.5 W), Nominal power of the lighting system (WL, 2.6 W), Average illumination of the lighting system on the cooking surface (Emiddle, 75 lux).

Product Fiche compliant to commission delegated regulation (EU) No 65/2014 and UK SI 2019 No. 539

PRF0125672

FOG0102648 Ed. 08/18

Table with 4 columns: Supplier's name or trade mark, Value, Unit, and description. Rows include Model identifier (WISE WH/A/90), Annual Energy Consumption (76 kWh/a), Energy Efficiency Class (B), Fluid Dynamic Efficiency (24.9%), Lighting Efficiency Class (A), Grease Filtering Efficiency (46%), Minimum Air Flow (256 m³/h), Maximum Air Flow (559 m³/h), Air Flow at intensive/boost setting (691 m³/h), A-weighted Sound Power Emission at minimum speed (48 dB(A)), A-weighted Sound Power Emission at maximum speed (65 dB(A)), A-weighted Sound Power Emission at intensive or boost speed (70 dB(A)), Power consumption off mode (Po) (NA W), and Power consumption in standby mode (Ps) (0.49 W).

Additional Product Information compliant to commission regulation (EU) No 66/2014 and UK SI 2019 No. 539

Table with 4 columns: Symbol, Value, Unit, and description. Rows include Time increase factor (f, 1.1), Energy Efficiency Index (EEIhood, 64.3), Measured air flow rate at best efficiency point (QBEP, 400 m³/h), Measured air pressure at best efficiency point (PBEP, 414 Pa), Maximum air flow (Qmax, 691 m³/h), Measured electric power input at best efficiency point (WBEP, 184.5 W), Nominal power of the lighting system (WL, 2.6 W), and Average illumination of the lighting system on the cooking surface (Emiddle, 75 lux).